



New Armor IP66


T&J



Weatherproof boxes with a safe reliable design that provides weather resistant operation. The switches and sockets are safe to use outdoors or near water.



E2101L



E2102L

Simple appearance
and practical function



E8213SL-DP



E0201




E0202

Product	Model No.	Description	Dimensions	Pack (carton/box)
	E2101L	20A 1 Gang 1 Way Weatherproof Switch with LED indicator(IP66)	83X83X68 mm	50/1
	E2101L-2	20A 1 Gang 2 Way Weatherproof Switch with LED indicator(IP66)	83X83X68 mm	50/1
	E2110L	10A 1 Gang Retractive Weatherproof Switch with LED indicator (IP66)	83X83X68 mm	50/1
	E2117	20A 1 Gang Intermediate Weatherproof Switch(IP66)	83X83X68 mm	50/1
	E2121L-DP	20A 1 Gang DP Weatherproof Switch with LED indicator(IP66)	83X83X68 mm	50/1
	E2110L-B	10A 1 Gang Doorbell Weatherproof Switch with LED indicator (IP66)	83X83X68 mm	50/1
	E2102L	20A 2 Gang 1 Way Weatherproof Switch with LED indicator(IP66)	83X83X68 mm	50/1
	E2102L-2	20A 2 Gang 2 Way Weatherproof Switch with LED indicator(IP66)	83X83X68 mm	50/1
	E2122L-DP	20A 2 Gang DP Weatherproof Switch with LED indicator(IP66)	83X83X68 mm	50/1
	E0201	1 Gang Weatherproof Enclosure for Socket(IP66)	155.1X101.84 X87.7 mm	20/1
	E0202	2 Gang Weatherproof Enclosure for Socket(IP66)	163.3X155.2 X87.7 mm	10/1
	E8213SL-DP	13A 1 Gang Weatherproof Socket with Independent Switch with LED indicator(IP66)	180.5X83 X80.5 mm	10/1
	E8318SL-DP	16A 1 Gang 2 Pin Universal Socket with Independent DP Switch with LED indicator (IP66)	180.5X83 X80.5 mm	10/1



E0201

+



HB813S




E0201+HB813S



E0202

+



HB813SD




E0202+HB813SD




E8213SL-DP

+



W8313A



W8318A



E8213SL-DP



E8318SL-DP

Product

Model No.

Description



E0201



HB813S

13A 1 Gang Switched Socket



HB815S

15A 1 Gang Switched Socket



HB827

16A 1 Gang Schuko Socket













HB818S

16A 1 Gang Universal Socket



K1201A



1 Gang Frame with mounting bracket

Product		Model No.	Description
 E0202		HB813SD	13A 2 Gang Switched Socket
		HB818SD	16A 2 Gang 2 Pin + Earth Switched Universal Socket
		K818SD	16A 2 Gang 2 Pin + Earth Switched Universal Socket
		W1674	4 Gang Frame with Bracket (156×86)
 E8213SL-DP		W8318A	16A Universal Socket Module
		W8313A	13A Socket Module
		W8110CH	10A 1 Gang Swiss Socket Module
		W8116CH	16A 1 Gang Swiss Socket Module
		W8727	16A 1 Gang Schuko Module
		W8716V	16A 2 Pin + Earth French Socket Module
		W8811V	10A 2 Pin+Earth AUS/NZ Socket Module (vertical)

Remarks: i.e. enclosure can be used with other accessories such as USB charger outlet, telephone outlet, tv outlet, HDMI outlet, etc.
BS Sockets are with safety mark

SPECIFICATIONS

T&J



Back View

- Degree of protection : IP 66
- Types : 2 poles / 4 poles
- Rated operation current : 20A / 35A / 63A
- Rated operation voltage : 230 / 440V AC
- Terminal bore : 5 ~ 6 mm

Order Code

	20A	35A	63A
2 POLES	TS-220/T2	TS-235/T2	TS-263/T2
4 POLES	TS-420/T2	TS-435/T2	TS-463/T2

Remark : 3 poles are customizable.

WEATHER PROOF ISOLATOR



IP66

20A

35A

63A

T&J isolators are designed to surpass uncompromising standard on total safety and reliability. Suitable for both indoor and outdoor use.

- ▶ Base mounted mechanism
- ▶ 2 or 4 poles, in 20A, 35A, and 63A
- ▶ Earth terminals included
- ▶ Ergonomical design
- ▶ Padlock hole ready
- ▶ Polycarbonate enclosure
- ▶ Design with 20mm & 25mm conduit opening for easy cable access



T&J



www.tjelec.com.sg

T&J Electric (Singapore) Pte Ltd

Tel : +65 6547 4333 Fax : +65 6547 4666

T&J Electric (Malaysia) Sdn Bhd

Tel : +603 7865 1613 Fax : +603 7865 9613

T&J Electric (Cambodia) Co Ltd

Tel : +855 1076 2888 +855 766 88 66 88

PT Tera Joules Elektrindo (Indonesia)

Tel : +6221 2254 2222

General Enquiries: info@tjelec.com.sg

For further information, please contact your nearest dealer: