





Titanium

Our top-of-the-line stainless steel plates with wide selection of finishes and perimeter accent frame for the distinguished home or commercial space



1.2mm super slim profile with screwless face plate, compact and sleek



Luxurious looking stainless steel plates with wide selection of finishes



New interlocking wall boxes available for multi-gang installations
Compatible with our versatile Icon modules



Square switch plate profile ensures no-gap multi-gang installation for easy cleaning and ensures proper horizontal alignment when installing


Titanium



GC202-2-BPB
10A 2 Gang 2 Way Toggle Switch



GC801PC-4TU-BBZ
1 Gang RJ45 Cat.5e Data Socket
+ RJ11 Telephone Socket (4 Pin)



GC801USB-WSS
1 Gang USB Power Charger



Matt Brass
GC2-SCA-MBR



Black Nickel
GC801-SB-BBN



Pearl Gold
GC801-TV-BPG



Polished Brass
GC2C-DMB-BPB



Polished Brass
GC2510-BPB



Polished Chrome
GC8513S-WPC



GC204-2-MBR
10A 4 Gang 2 Way Toggle Switch



GC220L Bespoke Finish
45A 1 Gang DP Switch with neon



GC8513S-BPB
13A 1 Gang Switched Socket



GC827-BPN
16A 1 Gang 2 Pin + Earth German Socket

Titanium



GC1201 + P2221 Shutter Control Switch

Never before was the operation of roller shutters so simple and so convenient.
Please ask your T&J salesman about other options.



GC899 Multimedia Hub + Universal Sockets + USB Chargers

Hotel guests or office workers are using their own in-room entertainment or computer presentations when "on the road". With the T&J Multimedia Hub, you can stream music, videos, photos and web-based content to an in-room video monitor and sound system. Demand is steadily growing for in-room entertainment and in-office business presentation solutions .

The T&J media hub is the answer to personalised in-room entertainment and business presentations. The new entertainment panel gives users the ability to experience their music, photos, videos and multi-media content from their own personal portable electronics devices through the room's flat screen TV.

Titanium

fresh ideas for residential or commercial spaces



Trailing Edge Dimmer

Versatile new dimmer capable of controlling dimmable LED and CFL lamps / downlights
Make your home or workplace more comfortable and energy efficient today!



USB Power Charger

Convenient USB connection with the strength to charge iPads (or other tablet devices) + the larger smart phones now on the market.
This USB module will be the new standard for energy efficiency.

the new modular product options introduced above will fit in the T&J Electric switch plate designs Deco, Ultimate, Classy, Titanium, Versatil and Radiance

360° Motion Detector

Control lighting automatically and reduce energy usage by activating power supply only as needed to light entry ways, corridors, stairways, rooms or closets.

The conveniently located timer setting can be set from 30 seconds to 10 minutes.



LED Night Light

Make you home or workplace safer and more energy efficient!


Night lights can light a path down a hallway or to an exit, they are perfect for stair step locators and accent lighting in any application.



Titanium

Switches			
Product	Model No.	Description	Remarks
	GC251 GC251-2 GC221 GC2515 GC220 GC232	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch 10A 1 Gang 2 Way Shutter Switch 10A 1 Gang Intermediate Switch 20A 1 Gang DP Switch 32A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC220L GC232L	20A 1 Gang DP Switch with neon 32A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC220FO GC232FO	20A 1 Gang DP Switch with flex outlet 32A 1 Gang DP Switch with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC222	16A 1 Gang 2 Way Shutter Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC220LFO GC232LFO	20A 1 Gang DP Switch with flex outlet + neon 32A 1 Gang DP Switch with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC245	45A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC245L	45A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC245D	45A 1 Gang DP Switch (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC245DL	45A 1 Gang DP Switch with neon (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC252 GC252-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC253 GC253-2 GC2203 GC2203-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch 20A 3 Gang 1 Way Switch 20A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Switches

Product	Model No.	Description	Remarks
	GC254 GC254-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC256 GC256-2	10A 6 Gang 1 Way Switch 10A 6 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC201 GC201-2	10A 1 Gang 1 Way Toggle Switch 10A 1 Gang 2 Way Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2130A	10A 1 Gang Intermediate Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC202 GC202-2	10A 2 Gang 1 Way Toggle Switch 10A 2 Gang 2 Way Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	GC203 GC203-2	10A 3 Gang 1 Way Toggle Switch 10A 3 Gang 2 Way Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC204 GC204-2	10A 4 Gang 1 Way Toggle Switch 10A 4 Gang 2 Way Toggle Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC251A GC251A-2	10A 1 Gang 1 Way Large Rocker Switch 10A 1 Gang 2 Way Large Rocker Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC252A GC252A-2	10A 2 Gang 1 Way Large Rocker Switch 10A 2 Gang 2 Way Large Rocker Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2548	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2548L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Titanium

Switches			
Product	Model No.	Description	Remarks
	GC2517	10A 1 Gang Fan Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Retractive Switches			
Product	Model No.	Description	Remarks
	GC2510	10A 1 Gang Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2561 GC2561-2	10A 1 Gang 1 Way Retractive Switch 10A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2562 GC2562-2	10A 2 Gang 1 Way Retractive Switch 10A 2 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2563 GC2563-2	10A 3 Gang 1 Way Retractive Switch 10A 3 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2564 GC2564-2	10A 4 Gang 1 Way Retractive Switch 10A 4 Gang 2 Way Retractive Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2566 GC2566-2	10A 6 Gang 1 Way Retractive Switch 10A 6 Gang 2 Way Retractive Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2561A GC2561A-2	10A 1 Gang 1 Way Retractive Switch with LED indicator 10A 1 Gang 2 Way Retractive Switch with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2562A GC2562A-2	10A 2 Gang 1 Way Retractive Switch with LED indicator 10A 2 Gang 2 Way Retractive Switch with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Dimmers



Product	Model No.	Description	Remarks
	GC2621	250W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2621-2	250W 230V 1 Gang 2 Way Dimmer (push on / off)	
	GC2641	400W 230V 1 Gang Dimmer (rotate on / off)	
	GC2641-2	400W 230V 1 Gang 2 Way Dimmer (push on / off)	
	GC2622	250W 230V 2 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2622-2	250W 230V 2 Gang 2 Way Dimmer (push on / off)	
	GC2642	400W 230V 2 Gang Dimmer (rotate on / off)	
	GC2642-2	400W 230V 2 Gang 2 Way Dimmer (push on / off)	
	GC2623	250W 230V 3 Gang Dimmer (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2623-2	250W 230V 3 Gang 2 Way Dimmer (push on / off)	
	GC2643	400W 230V 3 Gang Dimmer (rotate on / off)	
	GC2643-2	400W 230V 3 Gang 2 Way Dimmer (push on / off)	
	GC2624	250W 230V 4 Gang Dimmer (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC2624-2	250W 230V 4 Gang 2 Way Dimmer (push on / off)	
	GC2644	400W 230V 4 Gang Dimmer (rotate on / off)	
	GC2644-2	400W 230V 4 Gang 2 Way Dimmer (push on / off)	
	GC211-M2	630W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	GC211-1KM2	1000W 230V 1 Gang Dimmer (rotate on / off)	

Fan Controls



Product	Model No.	Description	Remarks
	GC211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2721	250VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2741	400VA 230V 1 Gang Fan Control (rotate on / off)	
	GC2722	250VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2742	400VA 230V 2 Gang Fan Control (rotate on / off)	
	GC2723	250VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2743	400VA 230V 3 Gang Fan Control (rotate on / off)	

Titanium

Fan Controls			
Product	Model No.	Description	Remarks
	GC2724 GC2744	250VA 230V 4 Gang Fan Control (rotate on / off) 400VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	GC2-M4	2A 230V 1 Gang Electronic Fan Control with speed indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 For fan speed control of central A/C

BS Sockets			
Product	Model No.	Description	Remarks
	GC8502	2A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8505	5A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513S GC8513S-DP	13A 1 Gang Switched Socket 13A 1 Gang DP Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513SL GC8513SL-DP	13A 1 Gang Switched Socket with neon 13A 1 Gang DP Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513D	13A 2 Gang Unswitched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513SD GC8513SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

BS Sockets

Product	Model No.	Description	Remarks
	GC8528SD	13A2 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8513SDL GC8513SDL-DP	13A 2 Gang Switched Socket with neon 13A 2 Gang DP Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8515S	15A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8515SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Schuko Sockets

Product	Model No.	Description	Remarks
	GC827	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	GC8116V	16A 1 Gang 2 Pin + Earth French Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

American Sockets

Product	Model No.	Description	Remarks
	GC8415V	15A 127V 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Titanium

Audio and Video Products			
Product	Model No.	Description	Remarks
	GC801-SB	1 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802-SB	2 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2-V	1 Gang Volume Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Universal Sockets			
Product	Model No.	Description	Remarks
	GC818S	13A 1 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC818	13A 1 Gang 2 Pin + Earth Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC810U2 GC810U2A	10A 2 Gang 2 Pin Socket 10A 2 Gang 2 Pin Socket with independent wiring terminals	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC810USA	16A 1 Gang 2 Pin Switched Socket with independent wiring terminal	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC810U	10A 1 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8318USB	13A 1 Gang 3 Pin Universal Socket with 2A USB	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1
	GC8318SUSB	13A 1 Gang 3 Pin Switched Universal Socket with 2A USB	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Television Sockets

Product	Model No.	Description	Remarks
	GC8541	1 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC8512	2 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC8511	1 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8509	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801-TV GC801TVO	1 Gang TV Socket with surge protection 1 Gang TV Socket with 1 branch output + surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801ETV	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802TV	2 Gang TV Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802TV-FM	1 Gang TV with surge protection + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8514	1 Gang Sat. TV + TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8542	1 Gang TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Titanium

Television Sockets			
Product	Model No.	Description	Remarks
	GC802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8543	1 Gang Triplex Socket (Sat+TV+FM)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC898	Audio RCA Socket + Earphone Socket (3.5mm jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 16 / 1

Telecommunication Products			
Product	Model No.	Description	Remarks
	GC801-4TU GC801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801-PC GC811-PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801-TM GC801-TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802-4TU GC802-6TU	2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output) 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802-PC GC812-PC	2 Gang RJ45 Cat.5e Data Socket 2 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC804-PC	2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC801PC-4TU GC811PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin) 1 Gang RJ45 Cat.6 Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Multimedia Products

Product	Model No.	Description	Remarks
	GC801USB	1 Gang USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC802USB	2 Gang USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC8211USB	USB Data Port	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC896	Multimedia Hub + 13A Socket	Nominal plate size: 255×65 mm Pack (carton / box): 4 / 1 Special wall box required
	GC899	commercial multimedia hub + universal socket	Nominal plate size: 255×65 mm Minimum wall box depth: 47 mm Pack (carton / box): 4 / 1 Special wall box required
	GC8995	Media ISDN	Nominal plate size: 378×86 mm Pack (carton / box): 10 / 1 Special wall box required
	GC8996	Multi-media Hub (without WIFI)	Nominal plate size: 378×86 mm Pack (carton / box): 10 / 1 Special wall box required

Hotel Products

Product	Model No.	Description	Remarks
	GC2-AL	3A Alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2600	1W 220V Floor Lamp	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Titanium

Hotel Products			
Product	Model No.	Description	Remarks
	GC2700	1W 220V Night Light	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC2C-DMB	4A Bell Switch with "Do Not Disturb" + "Make Up Room" indicato	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2C-DM	"Do Not Disturb" + "Make Up Room" Indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC6-2KT GC8-KT9 GC9-2KT GC9-KT9	20A 230V Key Card Switch with time delay 10A 9-24V 1 Gang Key-card Switch with time delay, low voltage passive 20A 100-240VAC Key Card Switch with time delay, voltage drop 10A 9-24V 1 Gang Key-card Switch with time delay, low voltage passive	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC828	115/230V Shaver Socket with overcurrent protection	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 20 / 1 / 1


Electronic Switches			
Product	Model No.	Description	Remarks
	GC2-IR	1000W 230V IR Motion Detector	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2-LIR	500W 230V IR Motion Detector with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	GC2-SC* GC2-LSC* GC2-SCA	100W 230V Voice Activated Switch with time delay 500W 230V Voice Activated Switch with time delay + fire control outlet 100W 230V Voice Activated Switch with time delay (compatible with CFL)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Accessories

Product	Model No.	Description	Remarks
	GC101	1 Gang Blank Plate	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC101D	2 Gang Blank Plate	Nominal plate size: 146×86 mm Pack (carton / box): 50 / 1
	GC5850	50A Connection Unit	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC1101	1 Gang Modular Plate with mounting bracket	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC1102	2 Gang Modular Plate with mounting bracket	Nominal plate size: 86×86 mm Pack (carton / box): 50 / 1
	GC1103	3 Gang Modular Plate with mounting bracket	Nominal plate size: 146×86 mm Pack (carton / box): 50 / 1
	GC1104	4 Gang Modular Plate with mounting bracket	Nominal plate size: 146×86 mm Pack (carton / box): 50 / 1
	GC6813F	13A Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FL	13A Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FS	13A Switched Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Titanium

Accessories			
Product	Model No.	Description	Remarks
	GC6813FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FFO	13A Fused Connection Unit with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FLFO	13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC6813FSLFO	13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	GC1221	Deco Modular Frame	



Product Code Rules

Titanium					Coding Rules of GC203 - 2 - BPC		
GC	20	3	-	2	B	PC	
							Finishes 1
							Interior color 2
							Way 3
							Gang 4
							Switch type 5
							Design collection 6

Available Options

1		2		3	4	5	6	
SS	Stainless Steel	B		2	3	20/23	CM	B
PB	Polished Brass	Black Interior	2 Way	3 Gang	Toggle Switch	Colossal	Alpine/Exclusif	
PC	Polished Chrome	W	Blank	1	262/27/21	G	E	
BN	Black Nickel	White Interior	1 Way	1 Gang	Dimmer Switch	Ultimate	Unique	
BZ	Bronze			2	25	GC	M	
MBR	Matt Brass			2 Gang	Normal Switch	Titanium	Metalclad	
PN	Pearl Nickel			4	256	DK	P	
PG	Pearl Gold			4 Gang	Retractable Switch	Radiance	Armor	
AZ	Antique Brass					R		
						Classy		

¹Notes:
Standard colours:PB,PC,SS,MBR,BN,PN
Non-standard colours:PG,AZ,BZ
For standard colours, lead time is up to 45 days.

Notes:
*All illustrations and descriptions are only for guidance.
*The colours and product photos you see in this brochure may vary from the actual products.
*All T&J products/colours can be customised to satisfy the unique demand of the widest possible range of end-users.
*T&J Electric reserves the right to change specifications and designs without notice.
*Use dry soft cloth to clean the surface of the products, cleaning agents may damage the finish.